
FILE ROBATIONS Entered in NID File Checked by thief ******* Location Map Pinned Approval Letter Card Indexed Disapproval Letter COMPLETION DATA: Date Well Completed Location Inspected OW.... WW.... TA.... Bond released State or Fac Land GW. . . . OS. . . . PA. LOGE PILED Driller's Log. Electric Logs (Mo.) R..... I..... Busi I Latereres Challeres Micro. BHC Sonic GR..... Lat..... M.-L.... Sonic.... CBLog..... CCLog..... Others....

SUBMIT IN TRIPLICATE. (Other instructions on

•	DEPARTMENT OF NA	TURAL RESOURCES	, (everse side)	5. Lease Designation and Serial No.
APPLICATION	N FOR PERMIT TO	DRILL, DEEPE	N, OR PLUG	BACK	6. If Indian, Allottee or Tribe Name ML 27798 NJ Sec
	u 1	DEEPEN D	PLUG	BACK [7. Unit Agreement Name
	vell Other		Single I	Multiple	8. Farm or Lease Name
,	Oil Corp.		•		9. Well No. Crest 2-4
	60 Palos Verde			0274	10. Field and Pool, or Wildcat
4. Location of Well (Rej At surface 403 bound At proposed prod con Brush	ort location clearly and in a so • north line ray y Basin	cordance with any State and 2389	requirements.*) west of ea	st	Antelope Mesa Ext'n 11. Sec., T., R., M., or Bik. Sec. 2, T-21-S, R-23-E. SLM
14. Distance in miles an	es no. of Cisc				12. County or Parrish 13. State Grand Utah
15. Distance from propolocation to nearest property or lease line (Also to nearest drig.	e, ft. N/A	16. N	o. of acres in lease	to th	of acres assigned is well 10
18. Distance from propo- to nearest well, drilli or applied for, on the	ing, completed, 2059	19. P	1400		ry or cable tools otary
21. Elevations (Show who	ether DF, RT, GR, etc.)	<u> </u>			22. Approx, date work will start. Nov. 1976
23.	P	ROPOSED CASING AN	CEMENTING PROG	RAM	
Size of Hole	Size of Casing	Weight per Foot	Setting Depth		Quantity of Cement
9-7/8"	7"	20#	150'		50 sack
6-4"	4½"	9 • 5#			100 sack
or Ho Ja	will complete le to be drill cobs rotating	any commerced with air head,	cial gas.		oil Production,
	gan 7" torus B		100PST +64+		
H 17	מושחות מנווופיזה	ν μετιι. - ελ. Ι	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	_	

Hydraulic closing unit - 6,000PSI test, Casing spool - 6" 900 series 3,000 PSI, Surface pipe and BOP will be tested to 800 PSI before drilling out from under surface. Baker, model G float valve at bit, String float at 1200' depth.


IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new pro-Thetive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout 24. Vice-President (This space for Federal or State office use) Approval Date Title..... Approved by..... Conditions of approval, if any:



CREST NO. 2-4

Located South 403 feet from the North boundary and West 2389 feet from the East boundary of Section 2, T.21S., R.23E., SLB&M.

Groundline Elev. 4530



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF





UDELL S. WILLIAMS
THE TOO AVENUE
GRAND JUNCTION, COLORADO
61501

PLAT OF
PROPOSED LOCATION
CREST NO. 2-4
NW1NW1NE1 SEC.2
T.215., R.23E., SLB&M

PURVEYED BY: USW DATEB/27/76

PRAWN BY: USW DATE 8/28/76

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING

SUBMIT IN RIPLICATE* (Other instructions on reverse side)

5. Lease Designation and Serial No.

APPLICATION	FOR PERMIT TO	DRILL, DEEPE	N, OR PLUG BA	CK 6. If Indian, Allottee or Tribe Name
a. Type of Work				ML 27798 7. Unit Agreement Name
DRIL	.L 💢 DE	EPEN 🗌	PLUG BACK	. Ont Agreement Name
b. Type of Well			Single - Multiple	8, Farm or Lease Name
	as Other		Single Multiple Zone Zone	S. Tarm of Bease Name
. Name of Operator				9. Well No.
PETROVEST . Address of Operator	INTERNATIONAL			Crest 2-4
				10. Field and Pool, or Wildcat
2070 Busin	ess Center Drive Cort location clearly and in accord	Suite 130. It	rvine, CA 92715 requirements.*)	Anteloge Mess Ext!
At surface 403		4-2389' wast	of east boundary	11. Sec., T., R., M., or Blk.
		IN NE	,	and Survey or Area Sec. 2, T-21-S,
At proposed prod. zone	v Basin	VW ND		R-23-E, SI
	direction from nearest town or	post office*		12. County or Parrish 13. State
3 mil	es no. of Cisco			Grand <u>IItah</u>
15. Distance from propose location to nearest		16. No	o. of acres in lease 17	. No. of acres assigned to this well
property or lease line, (Also to nearest drlg.	, ft.		320	10
8. Distance from propose	ed location*	19. Pr	oposed depth 20	. Rotary or cable tools
to nearest well, drilling or applied for, on this	lease, ft. 2059		2,000	Rotary
1. Elevations (Show whet	her DF, RT, GR, etc.)		* V	22. Approx. date work will start*
GR. 4530'				Nov. 1979
3.	PROF	OSED CASING AND	CEMENTING PROGRAM	
Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
9-7/8"	7"	20#	150'	50 sack
6-1/4"	4-1/2"	9.5#	1,50	100 sack
	or will complete Hole to be drill Jacobs rotating Regan 7" torus I Hydraulic closin Casing spool - 6 Surface pipe and PSI before drill Baker, model G i String float at	led with air head, BOP, ng unit - 6,06" 900 series d BOP will be ling out from	as far as possib 000PSI test, s 3,000 PSI, e tested to 800 n under surface. at bit,	ole using,
N ABOVE SPACE DES luctive zone. If proposal preventer program, if any 34. Signed This space for Feder	is to drill or deepen directional	ly, give pertinent dat	epen or plug back, give data a on subsurface locations and President	on present productive zone and proposed new productive productive productive proposed new productive productiv
Permit No			Approval Date	
Approved by Conditions of approva	l, if any:	Title		Date

** FILE NOTATIONS **

-
-
-
-
-
-
section
aecum
7
J

October 19, 1979

Petrovest International 2070 Business Center Drive, Suite 130 Irvine, California 92715

Re: Well No. Crest 2-32, Sec. 2, T. 21S, R. 23E., Grand County, Utah Well No. Crest 2-4, Sec. 2, T. 21S, R. 23E., Grand County, Utah

Insofar as this office is concerned, approval to drill the above referred to wells is hereby granted in accordance with the Order issued in Cause No. 102-16 dated August 22, 1979.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER Geological Engineer Office: 533-5771 Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is Crest 2-32 - 43-019-30560; Crest 2-4 - 43-019-30561.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Michael T. Minder Geologic**es** Engineer

/b.tm

cc: Donald Prince

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: Petrovest Internat	tional
WELL NAME: Crest #2-4	
SECTION 2 NW NE TOWNSHIP 21S	RANGE 23E COUNTY Grand
DRILLING CONTRACTOR Jacobs Drilling	
RIG #	
SPUDDED: DATE 1/13/80	
TIME 10:00 pm	
HOW rotary	
DRILLING WILL COMMENCE presently	_
REPORTED BY Len Collins	<u>-</u>
TELEPHONE #	<u>-</u>
	SIGNED M. J. Minden
DATE January 13, 1980	_ SIGNED
cc: Donald Prince	•

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING

D	IVISION OF OIL, GAS, AND M	INING	5. LEASE DESIGNATION AND SERIAL NO.
(Do not use this form for Use "Al	NOTICES AND REPORTS proposals to drill or to deepen or plug PPLICATION FOR PERMIT—" for such 1	ON WELLS back to a different reservoir. proposals.)	6. IF INDIAN, ALLOTTES OR TRIBE NAME
OIL GAS OTI	HIR		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR	'International		8. PARM OR LEASE NAME
8. ADDRESS OF OPERATOR	7 - 1 - 1 - 1 - 1	<u> </u>	9. WELL NO. COMMENTY CAN
2010 Business	Cto Dr. Javins	e Co 1.4	Example #1 2-4
See also space 17 below.)	the North Line,		leteloge Meso Extu
		ربهو	Sec 2, 7-2, M, OR BLE. AND Sec 2, 7-2, S 9-23-E SC
14. PERMIT NO.	15. BLEVATIONS (Show whether D	F, RT, GR, etc.)	12. COUNTY OR PARISH 18. STATE
43619-30561			GRAPD UTHH
16. Chec	k Appropriate Box To Indicate 1	Nature of Notice, Report, or	Other Data
	INTENTION TO:		EQUENT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL	CHANGE PLANS	(Other) Chasse	Well pane
(Other)		Completion or Recon	its of multiple completion on Well apletion Report and Log form.)
17. DESCRIBE PROPOSED OR COMPLETS proposed work. If well is o nent to this work.)*	SD OPERATIONS (Clearly state all pertinen lirectionally drilled, give subsurface local	nt details, and give pertinent date tions and measured and true vert	es, including estimated date of starting any ical depths for all markers and zones perti-
Charge	well pan	e from (Prest 2-4 to
Escondit.	# 1.		
		गिडिटीन	NV CO
		Mean	加到
		FEB 05	1980
		DIVISIO	N OF
		OIL, GAS &	MINING
	•		
18. I hereby certify that the forego	oing is true and correct	11-11	T1 - 12 =
SIGNED SIGNED	TITLE	resident	DATE FOLS 1980
(This space for Federal of Sta	te office use)		
APPROVED BY	, IF ANY:	4	DATE



CORE LABORATORIES, INC Petroleum-Reservoir Engineering DALLAS, TEXAS

				Page	1	of_	1
	٠.			File_	910	6 GA	L-869
Company PETROVE	ST, INC.		Formation				
WellESCONDI	DO NO. 1		County				
Field ANTELOP	E MESA		State	TAH			
	Chromat	ographic (Gas Analysi	S		•	
COMPONENT	MOL PER CENT	G. P. M.	DENSITY @ 60° GRAMS PER CUB CENTIMETER		* API @ 60* F		OLECULAR WEIGHT
Carbon Dioxide Nitrogen Methane Ethane Propane iso-Butane n-Butane iso-Pentane n-Pentane Hexanes plus	.09 3.11 93.68 1.87 .64 .11 .12 .04 .03 .31	.470 .175 .036 .038 .015 .011 .126		टीका	<i>NV</i> a		
Calculated gas g	ravity (air=1.0	000) = .595	MAI	R 26	1980		


Calculated gross heating value = 1017 BTU per cubic foot of dry gas at 14.65 psia


Collected at 155 psig.



DIVISION OF OIL, GAS & MINING

	······································	SAMPLE DETAIL	s	
Туре	Gas			
Client Sample No Date Sampled	3-4-80		Cylinder No	o _F
Sampling Pressure		psig	Sampled By	





Petrovest International

2070 Business Center Drive, Suite 130 Irvine, California 92715 (714) 955-0920



December 29, 1980

Ms. Barbara Hill Division of Oil, Gas and Mining State of Utah 1588 West North Temple Salt Lake City, Utah 84116

Dear Ms. Hill:

Pursuant to your recent request, I have given you a well completion report. However, I am enclosing a xerox copy for your files.

If there are any questions, please call.

Sincerely,

Anthony R. Pearson

ARP:hlf Enclosure July 20, 1981

Petrovest International 2070 Business Center Drive Suite 130 Irvine, California 92715

Re: See Attached Sheet

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above mentioned wells are due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

In regards to Well No. Escondito #1, we received your report (copy enclosed) that you've indicated is a well completion report. However, it is not Form OGC-3, but Form OGC-8-X. Please resubmit well completion on the proper form.

Thank you for your gooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

Director

/lm Attachment Enclosures

LAST REQUEST

- 1. Well No. Escondito #1
 Sec. 2, T. 218, R. 23E
 Grand County, Utah
- 2. Well No. Escondito #2
 Sec. 2, T. 218, R. 23E
 Grand County, Utah
- 3. WE11=No. Escondito #3
 Sec. 2, T. 218, R. 23E
 Grand County, Utah
- 4. Well No. State 16-1 Sec. 16, T. 20S, R. 23E Grand County, Utah

Petrovest International

2070 Business Center Drive, Suite 205 Irvine, California 92715 (714) 955-0920

October 5, 1981

Mr. Cleon B. Feight Director State of Utah Department of Natural Resources Division of Oil, Gas, and Mining 1588 West North Temple Salt Lake City, Utah 84116

Dear Mr. Feight:

Enclosed herewith please find duplicate copies of the Well Completion Reports for:

> Well No. Escondito #1 Sec. 2, T. 21S, R. 23E Grant County, Utah

> Well No. Escondito #2 Sec. 2, T. 21S, R. 23E Grand County, Utah

well No. State 16-1
Sec. 16, T. 20S, R. 23E
Grand County, Utah
gize for

We apologize for the delay in forwarding these proper forms to you, and appreciate your assistance in this matter.

Sincerely,

PETROVEST INTERNATIONAL

Anthony R. Pearson

President

ARP:gj

Encls.

SUBMIT IN DUP! 'ATE*

9	
	- 47

. 8	STA		HAT'				on rev	verse si	j	1			<i>O</i>
	PARTMENT O									5 18	ARE DES	RIGNAT	ION AND BERIAL NO.
D	IVISION OF	OIL,	GAS, AN	ID MININ	NG _.						3-65		·
			 										TTEE OR TRIBE NAME
WELL CO	MPLETION	OR	RECO	MPLETI	ON I	REPORT	AN	D LO	G *	_ .			
TYPE OF WELL	L: OII.	. O	WELL [34 DE		Other				7. UI	VIT AGRE	EMEN.	T NAME
TYPE OF COMP													
WELL &	OVER DEE	r. 🗌	PLUG BACK	DIFF.	in. 🗆	Other				ELU B	RM OR		
NAME OF OPERAT								VIV	1/2	i	ESCOI		to
	est Inter	nat	ional					37	<u> </u>	1636	il No.		-
ADDRESS OF OPER	usiness ('ent	er Dr	. Tr	vina	CASS		3			·	(p P00	L. OR WILDCAT
	L (Report location					u Rinta Go		(0).	<u> </u>	ر ا	MY	up	in the
	,NE,Sec.2		_		03'1	FUL 3	1 24	1 FEL		11.	BEC., T.,	R., M.,	OR BLOCK AND SCRYEY
At top prod. Inte	erval reported bel	low	•	•				,	· NO.	of la	JW . NI	E.S	ec.2,T21S,R
• -								DIVIS	SIOIA	MING	X · · y - · ·	_,_	0002,1110,0
At total depth				14 555	MIT NO.		DATE /	AL GA	50.	12.0	OUNTY (OR	13. STATE
•						30561	10	. 19- 1	79	G	cand		Utah
DATE SPUDDED	16. DATE T.D. R	EACHED) 17. DAT	E COMPL. (ATIONS (D				19.	ELEV. CASINGREAD
22-80	1-27-8	0	1 2	1-12-	80			GR		530			
TOTAL DEPTH, MD 4	TVD 21. PLU	, BACK	T.D., MD A	TVD 22.	IF MUL	TIPLE COMP	<u>,</u>	23. INTI		ROT	ART TOO	LE	CABLE TOOLS
1585	ļ				110 11 2				-> _	1			
PRODUCING INTER	VAL(8), OF THIS	COMPL	ETION—TOP	, BOTTOM,	NAME ()	(D AND TVD)	•					2	5. WAS DIRECTIONAL SURVEY MADS
12781	-128	5/	n	Kota								İ	
	(4)		1)/1		<u> </u>							- 1	
												27.	AS WELL CORED
TIPE ELECTRIC A	ND OTHER LOGS I		<u> </u>		_							27. ₩	M COARD
	ND OTHER LOGS I		· · · · · · · · · · · · · · · · · · ·			ort all strip	no pet is	n socil)				27. 🔻	/AS WELL CORED
TIPE BLECTRIC A	ND OTHER LOGS I)	· · · · · · · · · · · · · · · · · · ·	ING RECO	RD (Rep	ort all strin	ge set is		(BNTIN	RECORD		27.	
FDC-CN	L-GR)	CAS	ING RECO	RD (Rep		ye set ti		(BNTIN	RECORD		27. W	<i>no</i>
FDC-CNI	L-GR)	CAS	ING RECO	RD (Rep		ye set ti		(BNTIN	RECORD		27. ₩	<i>no</i>
FDC-CNI	L-GR)	CAS	ING RECO	RD (Rep		ye set is		(BNTIN	RECORD		27. *	<i>no</i>
FDC-CNI	L-GR WEIGHT, LB./	FT.	CAS	ING RECOI	RD (Rep		ge set is	CEM	(ENTIN				<i>no</i>
FDC-CNI	ND OTHER LOGS I	PT.	CASI	ING RECO	RD (Rep	LE \$125		30.	(ENTIN	TUBIN	G RECO	DRD	AMOUNT PULLED
FDC-CNI CASING SIZE NA	L-GR WEIGHT, LB./	PT.	CAS	ING RECOI	RD (Rep			30. 8122		TUBIN	G RECC	ORD (b)	AMOUNT PULLED PACKER SET (MD)
FDC-CNI CASINO SIZE NA	ND OTHER LOGS I	PT.	CASI	ING RECO	RD (Rep	LE \$125		30. 8122	/8	TUBIN	G RECO	ORD (b)	AMOUNT PULLED PACKER SET (MD)
FDC-CNI CASINO SIZE NA	WEIGHT, LB./	PT. LINER	CAS) DEPTH SE RECORD DM (MD)	ING RECO	RD (Rep	SCREEN (MD)	80. SIER 2 3	/8	TUBIN	G RECC	ORD DRD	AMOUNT PULLED PACKER SET (MD)
FDC-CNI CASING SIZE NA SIZE NA PERPORATION REC	WEIGHT, LB./	LINER BOTTO	CASI DEPTH SE RECORD OM (MD) number)	ING RECOI	RD (Rep HO)	SCREEN (MD)	30. 8128 2 3	/8	TUBIN DEPTH 158	G RECC	ORD D RD	AMOUNT PULLED PACKER SET (MD)
FDC-CNI CASING SIZE NA SIZE NA PERPORATION REC. AT 127	WEIGHT, LB./	LINER BOTTO	CASI DEPTH SE RECORD DM (MD) number) shots	SACES CE	RD (Rep HO)	SCREEN (MD) AC	30. 8128 2 3	/8	TUBIN DEPTH 158	G RECC	ORD D RD	PACKER SET (MD)
FDC-CNI CASING SIZE NA SIZE NA PERPORATION REC AT 127	WEIGHT, LB./	LINER BOTTO	CASI DEPTH SE RECORD DM (MD) number) shots	SACES CE	RD (Rep HO)	SCREEN (MD) AC	30. 8128 2 3	/8	TUBIN DEPTH 158	G RECC	ORD D RD	PACKER SET (MD)
FDC-CNI CASINO SIZE NA SIZE NA PERFORATION REC AT 127	WEIGHT, LB./	LINER BOTTO	CASI DEPTH SE RECORD DM (MD) number) shots	SACES CE	RD (Rep HO)	SCREEN (MD) AC	30. 8128 2 3	/8	TUBIN DEPTH 158	G RECC	ORD D RD	PACKER SET (MD)
FDC-CNI CASING SIZE NA SIZE NA PERFORATION REC AT 1275 total	WEIGHT, LB./	LINER BOTTO	CASI DEPTH SE RECORD DM (MD) number) shots	SACES CE	RD (Rep HO HO MENT*	SCREEN (MD) AC	30. 8128 2 3	/8	TUBIN DEPTH 158	G RECC	ORD D RD	PACKER SET (MD)
FDC-CNI CASINO SIZE NA SIZE NA PERPORATION REC AT 127 total	WEIGHT, LB./	LINER BOTTO	CASI DEPTH SE RECORD OM (MD) number) shots rperje	SACKS CE	RD (Rep HO HO HO MENT*	SCREEN (MD) ACCUTERVAL	BO. SIZE 2 3 ID, SHOT.	/8	TUBIN DEPTH 158	G RECO	ORD D) 1 K	PACKER SET (MD) B EEZE, ETC. MATERIAL CSED
FDC-CNI CASINO SIZE NA SIZE NA PERPORATION REC AT 127 total	WEIGHT, LB./	LINER BOTTO	CASI DEPTH SE RECORD OM (MD) number) shots rperje	SACKS CE	RD (Rep HO HO HO MENT*	SCREEN (MD) ACCUTERVAL	BO. SIZE 2 3 ID, SHOT. (MD)	/8	TUBIN DEPTH 158	G RECO	ORD D) 1 K	PACKER SET (MD) B EEZE, ETC. MATERIAL CSED
FDC-CNI CABINO BIZE NA BIZE NA PERFORATION REC AT 127 tota1	WEIGHT, LB./	LINER BOTTO	CASIDEPTH SE RECORD REMBER RECORD NUMBER Shots Perje Wing NOTE OF THE OWING BACKS CR S per Tiowing, ga	PROI POR	SCREEN (MD) ACCUTERVAL	BO. SIZE 2 3 ID, SHOT. (MD)	/8	TUBIN DEPTH 158 TURE. (G RECO	ORD D OF 1	PACKER SET (MD) B EEZE, ETC. MATERIAL CSED	
FDC-CNI CASINO SIZE NA SIZE NA PERFORATION REC AT 127 tota1 I FIRST PRODUCTI -30-80 I OF TEST	TOP (MD) TOP (MD) ORD (Interval, eli 8 -1287 18 holes	LINER BOTTO	CASI DEPTH SE RECORD M (MD) RUMBer) Shots Perje	SACKS CE T PET Flowing, ga	PROI POR	SCREEN (SCREEN (SZ. DEPTH 'II NA DUCTION simping—eigh	MD) ACCUTERVAL	80. SIZE 2 3 ID, SHOT. (MD)	/8	TUBIN DEPTH 158 TURE. (G RECC SET (M BO. 6.	ORD D OF 1	PACKER SET (MD) B EEZE, ETC. MATERIAL CSED S (Producing or roducing
FIRST PRODUCTS -30-80 FIRST PRODUCTS -21-80 FURNISH PROBLE FURNISH PROBLE FURNISH PROBLE FURNISH PROBLE FURNISH PROBLE FURNISH PROBLE FURNISH PROBLE	TOP (MD) TOP (MD) ORD (Interval, etc.) 8 '-1287' 18 holes HOURS TESTED 90 CASING PRESSUR	LINER BOTTO	CASI DEPTH SE RECORD M (MD) RUMBER) Shots Perje METHOD (I) WING HOKE SISE 3/8"	SACKS CE PROD'N PROD'N TEST 1	PROI PROI PROI FOR PRIOD BL.	SCREEN (SCREEN (SCREEN (DEPTH 'N NA OUCTION Imping—cis	AC (TERVAL)	80. SIZE 2 3 ID, SHOT. (MD)	/8 -	TUBIN DEPTE 158 TURE, (MOUNT A	G RECC SET (M BO. 6.	DRD D D OF 1	PACKER SET (MD) B EEZE, ETC. MATERIAL CSED S (Producing or roducing
FIRST PRODUCT: -30-80 FIRST PRODUCT: -21-80 FIRST PROBLE. 67	TOP (MD) TOP (MD) ORD (Interval, sizes 18 *-1287 * 18 holes 18 h	LINER BOTTO TE GRA TE CA TE CA	CASIDEPTH SE RECORD RECORD MUMber) Shots Perje Wing ROKE SISE 3/8" ALCULATED I-ROUR RAT	BACKS CE BACKS CE PET II Flowing, ga PROD'N TEST S OIL—S	PROI PROI PROI FOR PRIOD BL.	SCREEN (SCREEN (SCREEN (DEPTH 'N NA OUCTION Imping—cis	ACTERVAL	80. SIZE 2 3 ID, SHOT. (MD)	/8	TUBIN 158 TURE, (MOUNT A	G RECO	ORD D D D D D D D D D D D D D D D D D D	PACKER SET (MD) B EEZE, ETC. MATERIAL CSED E (Producing or roducing gas-oil batio
FDC-CNI CASING SIZE NA SIZE NA PERFORATION REC AT 127 total FIRST PRODUCT: -30-80 S OF TEST -21-80	TOP (MD) TOP (MD) ORD (Interval, sizes 18 *-1287 * 18 holes 18 h	LINER BOTTO TE GRA TE CA TE CA	CASIDEPTH SE RECORD RECORD MUMber) Shots Perje Wing ROKE SISE 3/8" ALCULATED I-ROUR RAT	BACKS CE BACKS CE PET II Flowing, ga PROD'N TEST S OIL—S	PROI PROI PROI FOR PRIOD BL.	SCREEN (SCREEN (SCREEN (DEPTH 'N NA OUCTION Imping—cis	AC (TERVAL)	30. SIZE 2 3 ID, SHOT. (MD)	/8 -	TUBIN DEPTE 158 TURE, (MOUNT A	G RECO	ORD D D OF 1	PACKER SET (MD) B EEZE, ETC. MATERIAL CSED E (Producing or roducing gas-oil batio

SIGNED J. M. Surkhall

TITLE Consulting Engineer

DATE 9-24-81

NSTRUCTIONS

or both pursuant to applicable Feleral and/or State has and regulations. Any necessary special instructions concerning the use of this form and the number of capies to be animal protections concerning the use of this form and the number of capies to be animal to large, or regional practices, either are shown below by such by, or may be obtained from the leveleral state office. See instructions on tiems 22 and 23, and 33, below resarding separate reports for equatific capies and subject of any subject of the time this nummary record is submitted, capies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.). An attach and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attach outs a complete and correct well completion reject and log on all types of lands and leases to either a Federal agency or a State agency,

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in flem 22, and in them 24 show the producting interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to any multiple state concuting and the cemental records for this well should show the details of any multiple state concuting and the cemental form for this form for each interval to be separately produced. (See instruction for items 22 and 24 above.) flem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local or Pederal office for specific instructions.

38. GEOLWHC MARKERS	101	MAAR. DEFTE TAGE VELT. PETTE							
FREEROF: CORED INTREVALA; AND ALL DRILL-STEM TESTS, INCLUDING PLOWING AND RHIT-IN PRESSURES, AND RECOVERIES	DERCRIPTION, CONTENTS, ETC.				•				
MARY OF PORUUS ZONES: BHOW ALL INFINITY SONES OF POROSITY AND CONTENTS TREBROF; REFTH INTERVAL TESTED, CURILION USED, TIMB TOOL OFEN, PLOWING	BOTTOM						 		_
OUS ZONES: ITANT SONES OF PORG TESTED, CUMHION U	12								
81. RUMMARY OF POROUG ZONES: BROW ALL IMPINITALY SONES OF REFIT INTERVAL TESTES, CURIL	įĘ								

FILE IN TRIPLICATE FORM OGC-8-X

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING 1588 West North Temple Salt Lake City, Utah

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number Es	scondito #1	
	International Madress Iru	ine California
Contractor Jacobs De	rilling Address Grand	Junction, Colorado
Location NW 4 NE 4	Sec. 2 T. 215 R.	23 E county Grand
Water Sands		
<u>Depth</u>	<u>Volume</u>	Quality
From To	Flow Rate or Head	Fresh or Salty
1. 1078 1154	Not Measured	Salty (Brackish)
2. 1232 1250		salty (Brackish)
3. 1490 1518	not Measured *	Salty
4. 1560 1565	Mot Measured	+ Brackish
5.		
* Insignificant - Bo	(Continue on reverse side if i	
Formation Tops Mancos - Surface Dakota Eilt - 103 Dakota Sand - 105 Remarks Gas Showing 12	88.	1 st salt wash sol 1490' 28' 2 ^{md} salt wash sol 1560'

 (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
 (b) If a water analysis has been made of the above reported zone, NOTE:

please forward a copy along with this form.

SUBMIT IN DUPL (See other instruction on reverse side)

STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING**

ΓE* is		
	5. LEASE DESIGNATION AND SERIAL	No.
4.	43-65-0067	
*	6. IF INDIAN, ALLOTTEE OR TRIBE N	AME
	7. UNIT AGREEMENT NAME	
س نو	S. FARM OR LEASE NAME	
	Escondito	
	9. WELL NO.	
	- #1	
	10. FIELD AND POOL, OR WILDCAT	
	Antelope Mesa	
	11. SEC., T., R., M., OR BLOCK AND SUR OR AREA	VEY
	NW, NE, Sec. 2, T21S	,R23E
	12. COUNTY OR 13. STATE	
	PARISH Utah	
RKR 1	RT, GR, ETC.) • 19. ELEV. CASINGHEAD	
530	0	
ALS DBY	ROTARY TOOLS CABLE TOOLS	
lype	erjet II 25. WAS DIRECTION SURVEY MADE	<u>AL</u>
	27. WAS WELL CORBO	
	No	
TING	RECORD AMOUNT PULLE	D
		_
	TUBING RECORD	
_ _	DEPTH SET (MD) PACKER SET (M	D)
3	1580.61 KB	
<u> </u>		
	TURE, CEMENT SQUEEZE, ETC.	
<u> </u>	MOUNT AND KIND OF MATERIAL USED	
	well status (Producing or shut-in) Producing	
	1 110adorna	

							43-65-00	67
WELL CO	MPLETION	OR RECOM	PLETION F	REPORT	ANDILO	G *	F INDIAN, ALLOT	TTEE OR TRIBE NAME
1a. TYPE OF WEL	WEL	L GAS WELL X	DRY .	Other		7. 0	NIT AGREEMENT	NAME
b. TYPE OF COM NEW WELL	WORK DEE		DIFF.	1			ARM OR LEASE	NAME
2. NAME OF OPERAT	OVER L EN	□ BACK □	RESVR.	Other	*************************************		Escondit	
Petrov	est Inter	national			2. C.		VELL NO.	
3. ADDRESS OF OPE	RATOR		 		1/2		#1	
		enter Dr.			715	10.	FIELD AND POOL	, OR WILDCAT
4. LOCATION OF WEI				State require	ements)*		Antelope	Mesa
At surface NW	,NE,Sec.2	,T21S,R23	E			11.	SEC., T., R., M., O OR AREA	R BLOCK AND SURVEY
At top prod. int	erval reported bel	ow.					NW,NE,Se	c.2,T21S,
At total depth								
			14. PERMIT NO.	1	ATE ISSUED		COUNTY OR PARISH	13. STATE
		_					rand	Utah
15. DATE SPUDDED		BACHED 17. DATE	, ,	prod.) 18.		DF, REB, RT, GR,	ETC.)* 19. E	LEV. CASINGHEAD
1-22-80	1-27-80					₹ 4530		
20. TOTAL DEPTH, MD	A TVD 21. PLUG	, BACK T.D., MD & T	HOW M	TIPLE COMPL., ANY		TERVALS ROT ILLED BY	TARY TOOLS	CABLE TOOLS
24. PRODUCING INTER	VAL(S). OF THIS	COMPLETION—TOP.	BOTTOM, NAME (M	D AND TVD)*		→	1 25.	. WAS DIRECTIONAL
AT 1278'-		-			holes,	Hyperj	et II	SURVEY MADE
26. TYPE ELECTRIC A	ND OTHER LOGS R	UN					27. W	AS WELL CORBD
FDC-CN	L-GR							No
28.		CASIN	G RECORD (Rep	ort all strings	set in well)			
CASING SIZE	WEIGHT, LB./	TT. DEPTH SET	(MD) Hor	E SIZE	CE	MENTING RECOR	D	AMOUNT PULLED
NA ———	_							
	_							
	_							
29.	<u>'</u>	LINER RECORD	- <u></u>		30.	TUBIN	G RECORD	
SIZE	TOP (MD)		ACRS CEMENT*	SCREEN (MD		 -	SET (MD)	PACKER SET (MD)
NA					2 3	3/8 15	80.61 K	3
31. PERFORATION REC		e and number) 2 shots	ner foot	82.		r, fracture,	CEMENT SQUE	EEZE, ETC.
		Hyperjet		DEPTH INT	ERVAL (MD)	AMOUNT	AND KIND OF M	ATERIAL USED
30 042	10 110100,	117701700				-		·
						-		
								
33.*				UCTION			· -	
8-30-80	ION PRODU	Flowing	wing, gas lift, pu	mping—size a	nd type of pu	(mp)	**************************************	(Producing or Coducing
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BÉL.	GAS-N	ICF. WAT	TER—BBL.	GAS-OIL BATIO
6-21-80	90	3/8"						
FLOW. TUBING PRESS.	CASING PRESSUR	E CALCULATED 24-HOUR RATE	oil—BBL.	GASN	œ. 25	WATER-BBL.	OIL GR	AVITY-API (CORR.)
34. DISPOSITION OF G		fuel, vented, etc.)	1	2.5			WITNESSED BY	
for sale	•						N.Burkha	
35. LIST OF ATTACH	MENTS							

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

TITLE Consulting Engineer

DATE 9-24-81

NSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency or a State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

should be listed on this form, see item 35.

16cm 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, ifem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. or Federal office for specific instructions.

for each additional interval to be separately produced, showing the additional data pertinent to such interval.

| Nem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

| Nem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

	e.	TRUE VERT. DEPTH	
GEOLOGIC MARKERS	TOP	MEAS. DEPTH	
38. GEOLOG		NAM	Dakota Morrison Salt Wash
THERBOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING 4, PLOWING AND SHUT-IN PRESSURES, AND RECOVERIES	DESCRIPTION, CONTENTS, ETC.	-	Natural Gas
SHIT AND CONTENTS	BOLLOM		. / 827
US ZONES: TANT ZONES OF PORC	TOP	1	. 8/71
37. SUMMARY OF POROUS ZONES: 8HOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING	FORMATION	-	Jakota •

DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS AND MINING 1588 WEST NORTH TEMPLE Salt Lake City, UT 84116

APPLICATION FOR WELL STATUS DETERMINATIONS pursuant to Sections 102, 103, 107 and 108 of the Natural Gas Policy Act of 1978.

NOTICE

1.	This	app	lication	must	be	filed	in	trip	icate	with	the	Div.	of	0il,	Gas	and	Mining
----	------	-----	----------	------	----	-------	----	------	-------	------	-----	------	----	------	-----	-----	--------

- This application when completed should consist of this page; Division of Oil, Gas and Mining Form No. 102, or Form No. 103, or Form No. 107, or Form No. 108 and Affidavit Form No. A102-1, or A102-2, or A102-3, or A103-1, or A107-1, or A108-1 depending on the determination being sought: together with all documents and testimony as required by the specific requirements of this application, its forms and rules of practice and procedure of the Division of Oil, Gas and Mining depending upon the determination sought; and a completed Natural Gas Policy Act of 1978 form as promulgated by the FERC. (121)
- 3. An individual application must be completed as to each well for which a status determination is being requested and if more than one status determination is being requested as to a single well, then all forms and information required for each requested determination shall be submitted together with this page.
- 4. ALL special words, terms and phrases used in this application are used as defined in the NGPA; the applicable rules and regulations of the Federal Energy Regulatory Commission; or applicable rules and regulations of the Division of Oil, Gas and Mining references should be made to these sources for specific definitions.

THIS APPLICATION IS FOR DETERMINATION OF:

New Natural Gas pursuant to Section 102 of the NGPA.

XX New Onshore Production Well pursuant to Section 103 of the NGPA.

High Cost Gas pursuant to Section 107 of the NGPA.

Stripper Well pursuant to Section 108 of the NGPA.

	COMPL	ETE THE FOLLOWI	NG	
1.	(Applicant) <u>PETROVEST</u>	INTERNATIONA	AL	
,	Address <u>2070 Business Center</u> Street			
	Irvine, California 9	2715	(714) 9	55-0920
	City	State	Zip Code	Phone No.
2.	Name and title of person respons application if different from ap	ible for answer plicant.	ing questions about	the
	Hame and Title Anthony R. Pea	rson, Preside	nt	
	Address Same as above. Street			
	City	State	Zip Code	Phone No.
3.	Well API No. 43-019-30561			
4.	Well Name and Number Escondid	o #1		
5.	List all gas purchaser's by name	and address $\frac{N}{3}$	orthwest Pipelin	e Co.

Salt Lake City, Utah 84110

STATE OF UTAH DIVISION OF OIL, GAS AND MINING 1588 WEST NORTH TEMPLE Salt Lake City, UT 84116

FORM 103

NEW ONSHORE PRODUCTION WELL

(1)	API No. 43-019-30561
(2)	Applicant PETROVEST INTERNATIONAL
(3)	Well Name Escondido #1 No. 1
(4)	Location: Section 2 T. 21 s R. 23 E
	Northwest of Northeast Section 2
(5)	County Grand Field Antelope Mesa
(6)	FERC Form No. 121 (Attach)
(7)	Total Depth 1,585' Perforations: From 1278' To 1287' Attach Directional Survey if required.
(8)	Completion Date February 29, 1980
(9)	Spud Date January 22, 1980
(10)	A location plat which locates and identifies the well for which a determination is sought and all other wells, by operator, well name and number within the proration unit in which the well for which a determination is sought is located.
(11)	List and attach all Board of Oil, Gas and Mining orders which established or revised this drilling unit.
(12)	Was gas from Qualifying (Applicant's) wells committed or dedicated to interstate commerce on April 20, 1977? Yes No X
	If so, identify purchaser(s) and date
(13)	Attach executed Affidavit Form No. A103-1.
(14)	is the applicant seeking a determination pursuant to 18 CFR 271.304? Yes No
(15)	If the answer to (14) above is yes, attach a copy of the Board of Oil, Gas and Mining Order authorizing the drilling of said well.

AFFIDAVIT BEFORE

BOARD OF OIL, GAS AND MINING STATE OF UTAH

IN THE MATTER OF
APPLICATION FOR WELL STATUS DETERMINATION
PURSUANT TO SECTION
103 (c) OF THE
NATURAL GAS POLICY ACT OF 1978

AFFIDAVIT

COUNTY OF CALIFORNIA

BEFORE ME, the undersigned authority, duly commissioned and qualified within and for the State and County aforesaid, personally came and appeared Anthony R. Pearson who, being by me first duly sworn deposed and said:

That he is the applicant of the qualifying well as described heretofore in this application and in that capacity he is requesting the Board of Oil, Gas and Mining of the State of Utah to determine the status of said well for wellhead pricing purposes pursuant to the rules and regulations of the Board of Oil, Gas and Mining, the Federal Energy Regulatory Commission, and the Natural Gas Policy Act of 1978.

It is his personal belief to the best of his information and knowledge that the surface drilling of the well for which he seeks a determination was begun on or after February 19, 1977:

That the well satisfies any applicable Federal or State wellspacing requirements; and that the well is not within a drilling unit:

- (1) Which was in existence at the time the surface drilling of the well began; and
- (2) Which was applicable to the reservoir from which natural gas is produced; and
- (3) Which applied to any other well which either produced natural gas in commercial quantities or the surface drilling of which began on or after February 19, 1977, and was thereafter capable of producing natural gas in commercial quantities; and
- (4) That he has concluded that to the best of his information, knowledge and belief, the natural gas for which he seeks a determination is produced from a new, onshore production well and the basis for such conclusion; and

That he has no knowledge of any information not described in the application which is inconsistent with his conclusions.

He further states that he has mailed or caused to be mailed, postage prepaid, a copy of the attached application for well status determination to Northwest Pipeline Company, 315 East 200 South, P. O. Box 1526,

salt Lake City, Utah 84110 , purchaser(s), pursuant to Section 274.201 (e) of Subpart B, Title XVIII, Code of Federal Regulations.

To the best of his knowledge and belief, all information contained in this application for determination of status for the well pursuant to the Natural Gas Policy Act of 1978 is true and correct including all documents, testimony and evidence attached to the application or submitted with the application.

Applicant (if a partnership only one general partner need sign).


President

Title

Subscribed in my presence and duly sworn to before me, this 134

day of November

member, 19881.



My commission expires august 7, 196

Petrovest International

2070 Business Center Drive, Suite 205 Irvine, California 92715 (714) 955-0920

November 16, 1981

Mr. Cleon B. Feight
Director
State of Utah
Department of Natural Resources
Division of Oil, Gas, and Mining
1588 West North Temple
Salt Lake City, Utah 84116

Re: Well No. Escondito #1
Sec. 2, T. 21S, R. 23E
Grand County, Utah

Dear Mr. Feight:

Enclosed herewith please find triplicate copies of the Application for Well Status Determinations for the above referenced well along with Form No. 103, Affidavit Form No. A103-1, FERC Form 121, and Well Completion Report Form OGC-3.

Once again, we appreciate your assistance in handling this matter and trust it will be expeditiously taken care of.

Sincerely,

DETROVEST INTERNATIONAL

\Péarson

athous 1

President

ARP:gj

Encls.

CC: Northwest Pipeline Company 315 East 200 South P. O. Box 1526 Salt Lake City, Utah 84110

FERC-121

1.0 API well number: (If not assigned, leave blank, 14 digits.)	43 _	019_ 3056	1		 -
2.0 Type of determination being sought: (Use the codes found on the front of this form.)	103 Section of	FNGPA C	Category Code		
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)		1,585	_feet		
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)			Center D	L rive, #205 CA 92715	Seller Code
	City			State Zip Code	
5.0 Location of this well: [Complete (a) or (b).] (a) For onshore wells (35 letters maximum for field name.)	Ante Field Nan Gran County	· -		Utah State	• .
(b) For OCS wells:					
	Area Nam	8		Block Number	•
	į	Date of Lea	198:		
		Mo. Day	√ r	OCS Lease Number	•
(c) Name and identification number of this well: (35 letters and digits maximum.)	Esco	ndido #1	43-65	-0067	
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)					•
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Nort Name	hwest Pip	eline Co.	,	013800 Buyer Code
(b) Date of the contract:			0 18 10171 Mo. Day	8 ₁ 0 ₁ Yr.	
(c) Estimated total annual production from the well:			90,000	Million Cu	bic Feet
		(a) Base Price	(b) Tax	(c) All Other Prices [Indicate (+) or (-).]	(d) Total of (a), (b) and (c)
7.0 Contract price: (As of filing date. Complete to 3 decimal places.)	\$/MMBTU	2 070			
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)	\$/MMBTU	2.469			•
9.0 Person responsible for this application:	Anth	ony R. Pea	arson _	Presid	lent
Agency Use Only Date Received by Juris. Agency	Neme	Sant		Title	-
Date Received by FERC	10/	05/81 lication is Complet		14/955-0920 Phone Number	

U.S. DEPARTMENT OF ENERGY Federal Energy Regulatory Commission Washington, D.C. 20426

APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT (NGPA) (Sections 102, 103, 107 and 108)

PLEASE READ BEFORE COMPLETING THIS FORM:

General Instructions:

Remarks:

Complete this form if you are applying for price classification under sections 102, 103, 107 or 108 of the NGPA. A separate application is required for each well. If any reservoir qualifies for a category which differs from the category applicable to the producing well, separate applications must be made for the producing well and the reservoir. Complete each appropriate item on the reverse side of this page. The code numbers used in items 4.0 and 6.0 can be obtained from the Buyer/Seller Code Book. If there is more than one purchaser or contract, identify the additional information in the space below. Enter any additional remarks in the space below.

Submit the completed application to the appropriate Jurisdictional Agency as listed in title 18 of the CFR, part 274,501. If there are any questions, call (202) 275-4539.

Specific Instructions for Item 2.0, Type of Determination:

Section of NGPA	Category Code	Description					
102	1	New OCS Lease					
102	2	New onshore well (2.5 mile test)					
102	3	New anshore well (1,000 feet deeper test)					
102 🗸 👊 .	4	New onshore reservoir					
102	5	New reservoir on old OCS Leese					
103	-	New onshore production well					
107	• • • • • • • • • • • • • • • • • • •	High cost natural gas					
108	-	Stripper well					

Other Purchasers/Contracts:									
Contract Date (Mo. Day Yr.)	Purchaser :	Buyer Code							

February 27, 1986

CERTIFIED MAIL NO. P 657 352 760

Thomas D. Harrison 1923 Wingate Drive Grand Junction, CO 81503

Dear Mr. Harrison:

RE: Cancellation and Cleanup of Well Locations on State of Utah Mineral Lease ML 27798

Our Accounting Section has informed us that due to non-payment of 1985 rentals, ML 27798 was cancelled on November 12, 1985. A recent field inspection of the N% of Section 2, T21S, R23E, SLB&M., showed several locations which must be properly plugged and abandoned before the file on this lease can be properly closed.

Crest #2-8: 303/6
Location needs to be cleaned up, plugged and abandoned, and properly reclaimed.

Pioneer #2-1: Location needs to be cleaned up, plugged and abandoned, and properly reclaimed. 30744

Escondito #1: 30560 Location needs to be cleaned up, plugged and abandoned, properly reclaimed, and equipment removed from the location.

Pioneer #1: $\frac{3079}{}$ Location needs to be cleaned up, plugged and abandoned, properly reclaimed, and equipment removed from location.

You are hereby advised that unless substantial progress has been made within the next thirty (30) days to plug and abandon the above listed locations, this matter will be taken to the State Land Board at their



Oil, Gas & Mining

Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

January 9, 1984

Mr. Thomas D. Harrison Oil and Gas Operator 1923 Wingate Dr. Grand Junction, Colorado 81503

COPY

Dear Mr. Harrison:

RE: State Lease No. ML-27798, N 1/2 Sec. 2, T.21S, R. 23E, Grand County, Utah.

According to State Lease Records you have owned 81 1/4 % interest in the above referenced lease since 12-1-80. On this lease exist four wells under your ownership which are of interest to the Division; Crest 2-8, Escondido #1, Pioneer # 1, Pioneer # 2-1. These well sites and records are unsatisfactory for the reasons on the attached list. The list also suggests methods of brining these wells into compliance with State Regulations.

The Board of Oil, Gas and Mining is authorized to seek civil penalties of up to \$10,000 per day for each day of violation if a noncompliance is determined to be willful or negligent. Therefore, please inform this office of your intent concerning the above requirements to avoid further action.

Your prompt attention to correct these matters will be greatly appreciated.

Sincerely,

William Moore Oil & Gas Field Specialist

sb Attachments cc: R.J. Firth J.R. Baza 9686T-43-42 Attachment 1 Thomas D. Harrison January 9, 1985

The Crest 2-8, Sec. 2, T. 21S, R. 23E, of the above referenced lease is still under the name of Cest Oil Corporation in our records. Rule C-22 (a3)-Report of Operations and well status report (3) Shut In Wells: states that where the well is shut-in indefinitly, said reports must be made annually and must be filed on or before the sixteenth (16) day of January each year. There have been no well status reports filed since 1977 for this well. There is also no legal identification on this well. Rule C-7, Identification, states that every producible well shall be identified by assign posted in a conspicuous place near the well and be of durable construction. Each sign shall show the number of the well and the name of the owner or operator, the lease name, and the location by quarter, section, township, and range.

The Escondido # 1, Sec. 2, T. 21S, R. 23E, of the above referenced lease is listed as operated by Petrovest International, however no Desgnated Agent or Operator has been filed since Crest Oil Corporation has owned this well. Please file a change of operator to confirm who has the right to produce and appropriate oil and /or gas from this well. This well is also lacking Shut-In status Reports.

The Pioneer # 1, Sec. 2, T. 21S, R. 23E, of the above referenced lease is properly listed under your operatorship. However the well lacks yearly well status reports, and lacks legal identification. This well must be properly signed and the records brought up to date.

The Pioneer 2-1, Sec. 2, T. 21S, R. 23E, of the above referenced lease is listed under your operatorship. According to our records you planned to plug and abandon this well on May 1, 1981, however no subsequent reports of abandonment, spudding, completion, have been filed or a proper marker found on site. Rule C-5 states that within 90 days after suspension of operation, abandonment of or the completion of any well drilled, a well log shall be filed with the commission on form OGC-3, together with a copy of the electric and radioactivity logs, if run. Rule C-22 (1) states that monthly drilling reports must be filed during operations, Rule D-1 notice of intention to plug and abandon shall be upon a form prescribed (OGC-1) and shall contain all information requested. thereon. D-2 Report of Abandonment and Plugging states that within 30 days after the plugging of any well has been accomplished, the owner or operator shall file a plugging report with the Division on form The report shall give a detailed account of the manner in which the plugging work was carried out, including the nature and quantities of materials used in plugging, and the location and extent (by depths) of the plugs, records of any tests or measurements made and the amount, size and location (by depths) of casing left in the well; and statement of the volume of mud fluid used.

Attachment 1 continued

Rule D-4-Markers for Abandon wells states that all abandoned wells shall be marked with a permanent monument on which shall be shown the number, location of the well and the name of the lease. marker shall be not less thatn (4) four inches in diameter and not less that (10) ten feet in length, of which (4) four feet shall be above the ground level, the remainder being securely embedded in cement. The top of the pipe must be permanently sealed. The well should be immediately brought into compliance with the above stated rules.

April 10, 1985

MEMO TO FILE

From: John R. Baza

RE: Petrovest International, Well No. Escondito 1, Sec. 2, T.21S, R.23E, Grand County, Utah

3/8/85, 1500 hours:

Received call from Bob Graff, BLM-Moab that check valve on well was defective and other wells tied into gathering system are back flowing into this well. BLM investigated and noted that check valve was indeed taken apart and they acted to shut-in well. Problem was reported to BLM by:

Tom Cassell Master Petroleum Company (303) 241-4213

BLM believes well is operated by Thomas Harrison. Pat DeGruyter will try to check this out over the weekend.

3/11/85, 0830 hours:
Pat could not get to the well location, roads in bad shape due to weather. He will try to get in contact with the operator.

3/27/85, 1500 hours:
Greg Noble from BLM-Moab called. Would like to know what action has been taken. Will call Pat and find out.

3/29/85, 0930 hours:
Called Pat on this well. He said he had been to location last week and had not seen the problems that BLM described. He did not attempt to open or close any valves or to break open check valve. However, operator may have remedied problem before Pat had opportunity to visit location. He (Pat) spoke with Bob Graff of BLM and described his inspection, but Pat did not attempt any followup.

Asked Bill Moore to get together with Pat and Thomas Harrison to thoroughly check out this situation. Greg Noble from BLM is concerned that problem may no longer exist. Page 2 Memo to file April 10, 1985

4/9/85, 0830 hours:
Bill indicated that he, Pat, Tom Harrison and Bob Graff had gotten together at the well location and had discussed the problems. Matter should be resolved at this time.

sb 0090T Thomas D. Harrison February 27, 1986 Page Two

next meeting with a recommendation to have your bond, (bond number OSE 586 538, American Manufacturers Mutual Insurance Company, Surety), foreclosed on and payment used for cleanup of locations.

If you have any questions concerning this matter, please call this office.

Sincerely yours,

EDWARD W. BONNER HINERAL RESOURCES SPECIALIST

EWB/eb

cc: Ronald J. Firth

Associate Director
Division of Oil, Gas, and Mining


Donald G. Prince Assistant Director Division of State Lands & Forestry

American Manufacturers Mutual Insurance Co. P.O. Box 10005 Overland Park, KS 66210



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340



November 12, 1986

DIVISION OF OIL. GAS & MINING

RETURN RECEIPT REQUESTED P 402 459 517

Mr. Thomas D. Harrison 2207 Three Kings Court Park City, Utah 84060 7307

Dear Mr. Harrison:

Re: Monthly Oil and Gas Production and Disposition Reports - Utah Account No. N1610 - Pioneer #1, Pioneer #2, Pioneer #2A, Escondito #1 and Harrison Federal 31-1 wells

In spite of the Division's repeated requests, you have failed to respond and provide the required Monthly Oil and Gas Production and Disposition Reports for the past several months. Rules 812 and 813, The Oil and Gas Conservation General Rules of the Utah Board of Oil, Gas and Mining, require that these reports be filed 45 days from the end of the month in which the oil and/or gas was produced.

It is our desire that this delinquent reporting circumstance be resolved immediately, therefore we request that the required delinquent reports be submitted to this office within five (5) working days from receipt of this letter.

Page 2 November 12, 1986 Thomas D. Harrison

In the event that the reports are not timely submitted and received by the Division as described above, an Order to Show Cause and Notice of Hearing will be immediately issued for a hearing before the Board of Oil, Gas and Mining to consider the matter. Therefore, compliance with the necessary reporting requirements would be prudent and appropriate in order to avoid such Board action.

Sincerely,

Associate Director, Oil and Gas

vlc cc: Dianne R. Nielson Norman C. Stout Suspense File

0335S-77,78

Pear Ron:

The Peoneer I well and Exampledo I well were loth sold to Master Petrolum (Don + Tom Kucel) 015.03E 0 in april 1986. Lease ML-27798 was also 015 03ED assigned over to them at that time. They are cerriently producing both wells,

the Rioneer 2 well was plugged in Oct 19833 at the time the Pronen 2A wall wordelled. The 305.33.13 Pronces 2A has been shut in since Feb 1986. Quel submit the delinquent reports ASAP,

The Harmon Federal 31-1 was dulled dry U-027 403 in 1981, They plugged the well and du in the NW/4, 5-30, which well is in production, Sine



North Tompte, 3 Triad Center, Suite 350, Salt Lake City, Ut 03. • (801-538-5340)

	1.		3	
Page		of		

MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address	:				
MASTER PET & DEVEL CO 814 SOUTH 7TH GRAND JUNCTION CO ATTN: TOM KUCEL	0 INC. 81501			Utah Account No. — Report Period (Mon- Amended Report	th/Year) 7 / 91
Vell Name API Number Entity Location	Producing Zone		Production Volume Oil (BBL)	Gas (MSCF)	Water (BBL)
ISCO=#3= 301930404 04500 208 23E 27	DKTA	0	0	0	<i>O</i> ,
301930456 04500 20S 23E 27	MRSN	0	. Ο	0	0
	MRSN	5	5	0	5
301931105 08172 218 23E 24	MRSN	O	0	0	0
301931189 08173 21S 23E 15	MR-SW	0	0	0	0
MASE=GROSSMAN-#]≠ 301915014 08174 195 24E 31	DKTA	0	0	0	. 0
301930791 09056 21\$ 23E 2	SLTW	0	0	0	: Ø
SCOND1:TO # 18 301930561 09057 218 23E 2	DKTA	0	O	0	0
WHELEWELD 27-4 200 203 21E 27	MR-SW	3	6	1	1
301931216 09801 218 23E 9	DK-MR	0	0	0	0
301931276 09801 215 23E 10	MRSN	20	76	3024	0
140-9) 48- 301931281 09801 21\$ 23E 9	DKTA	0	Ø	0	0
301931277 11003 21S 23E 15	GDMTN	0	0	Ò	0
		TOTAL	87	3024	5
comments (attach separate sheet if nec					
		•			
· · · · · · · · · · · · · · · · · · ·	1-4			Date 8-20-7	7/
have reviewed this report and certify the	1	n 10 06	accurate and complete.	Telephone 303.3	141.4017
Authorized signature	a, and	<i>40</i>		Telephone	f 1 - file land

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUL GAS AND MINING

SUBMI TRIPLICATE*
(Other instructions on reverse side)

DIVISION OF OIL, G	AS, AND MININ	IG	5. LEASE DESIGNATION AND SERIAL NO.
SUNDRY NOTICES AND (Do not use this form for proposals to drill or to Use "APPLICATION FOR PERM	deepen or plug back	to a different reservoir.	6. IF INDIAN, ALLOTTED OR TRIBE NAME
OIL GAS OTHER			7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR			8. FARM OR LEASE NAME
Master Petroleum & Development C	o.,Inc.		
8. ADDRESS OF OPERATOR	60 01501		9. WELL NO.
814 South 7th St., Grand Junction			ESCONDITO 1
4. LOCATION OF WELL (Report location clearly and in acco See also space 17 below.) At surface NW /NE Sec. Z T			GRATTER CISEO
SUMTB			SEC. Z. TZ/S, RZ3
	(Show whether DF, RT,	OR, etc.)	12. COUNTY OR PARISH 18. STATE
4301930561			GRAND UTAH
16. Check Appropriate Box	To Indicate Natu	ire of Notice, Report, o	or Other Data
NOTICE OF INTENTION TO:	1		SEQUENT REPORT OF:
TEST WATER SHUT-OFF PULL OR ALTER CA	SING ONIS	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT MULTIPLE COMPLET		FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE ABANDON®		BHOUTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL CHANGE PLANS		(Other)	
(Other) change of Operator	<u>X</u>	(Note: Report res Completion or Reco	oults of multiple completion on Well ompletion Report and Log form.)
Effective immediately the new Oper Saturn Resources Corp. P.O. Box 870171 Dallas, Texas, 75287	ator is:		
Phone # 214-380-2977			
Attn: Lynn or J.T. Dempsey		garanaman and a	FIEGBIVE II
			AUG 2 0 1991
			DIVISION OF
			OIL GAS & MINING
	•		our GHO G MIMING
18. I hereby certify the foregoing is true and correct			
SIGNED I KOMMA KUWA	TITLE pres.		DATE <u>8-14-91</u>
(This space for Federal or State office use) APPROVED BY	TITLE		DATE

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Rou []	(Location) SecTwpRng(API No.)	Suspense (Return Date) (To - Initials)	XEX Other OPERATOR CHANGE
1.	. Date of Phone Call: 8-22-91	Time: 4:15	
2.	2. DOGM Employee (name) L. ROMERO Talked to:	of the second	(Initiated Call VI)
	Name (In	nitiated Call []) - Ph	none No. (303) 241-4213
	of (Company/Organization)MAS	TER PETROLEUM & DEV.	CO., INC. / N9675
3.	3. Topic of Conversation: EFFECTIVE DAT	E OF OPERATOR CHANGE	TO SATURN RESOURCES CORP.
4.	4. Highlights of Conversation: MR. KUCE	L CONFIRMED THE EFFE	ECTIVE DATE OF "8-1-91".
			(
	* 911029 This change reflects Ma (See Sundry Submitted by Saturn Properties regarding Abraham K Lease UTU7945/Gacobs #1 w	Resources dated 10	-7-91/

(November 1983) UNITED STATES (Other instructions on F	Budget Bureau No. 1004-0135 Expires August 31, 1985
DEPARTMENT CT THE INTERIOR Verse side) BUREAU OF LAND MANAGEMENT	SEE belaw
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to dropen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTES OR TRIBE HAME
OIL DOWN GAS TEACH	7. UNIT AGRESMENT NAME
2. HIME AT OPERATOR RESOURCES POCO.	S. FARM OR LEASE NAME
3. ADDITAS OF OPERATOR PO BOX 870/7/	9. WELL NO.
i. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See aims space 17 below.) At surface	10. FIELD AND POOL, OR WILDCAT
SEE Attached	11. ENC., E., E., M., OR BUX, AND BURYAY OR AND TROPICS TROPIC
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, OR, etc.)	12 COUNTY OF PARISH 18. STATE
Check Appropriate Box To Indicate Nature of Notice, Report, or C	Other Data
	THAT EMPORT OF:
PELL OR ALTER CASING WATER SHOT-OFF PRACTURE TREAT MULTIPLE COMPLETE PRACTURE TREATMENT	ALTERNO CARINO
BIIOUT UR ACIDIEB ABANDON+ BROOTING OR ACIDIZING	TBYNDORMENT.
(Other) (Other)	of multiple completion on Well etion Report and Log form.)
17. DERIVATION PROPERTY OF THE	etion Report and Log form.) including estimated date of starting any il depths for all markers and zones perti-
WE have purchased the leasen + , listed on attached exhibits.	proputies
listed on attached exhibits.	,
purchard from Master Petroleus AND Abraham R. Gladstone	en + Developmen
AND Abraham R. Gladstone	
We are operators of the learner -	wells vis of
8-1-91	e e e e e e e e e e e e e e e e e e e
There is one ADDItional lease which	
have information on. It is least	# # UT4 7945.
It has I gas well on it - Jacob	5 #1 well
IN. I bereby certify that the foregoing la frue and correct	
SIONED S. OSGANISHES TITLE VICE MUSICIONE	DATE /0 - /- 7/
(This space for Federal or State office use)	
APPROVED BY TITUE	

To Ed Bonner	From Don Sta
State Lands	Oil, Gas and Mining
Subject Operator Change	
MESSAGE	Date // - / 19_9/
Ed,	Date
	ies of documents regarding an operator change on
	omplied with our requirements. Our records have
been updated. Bonding should be reviewed Former Operator: Masta Petrole	
	and the state of t
New Operator : Saturn Resou	
	Entity: S-T-R:
Escondito 1 43-019-	30561 . 09057 Z-215-23E
Proneer 1: 43-019-	30791 - 09056 Z-215-23E
(Both are in me	27798)
-Malorold CC: Operator File	Signed Don States
REPLY	Date19
·	
— Na, 9 à 10 FOLD	
	Signed

Wilson Jones Company GRAYUNE FORM 44-912 3-PART 9 1993 - PRINTED IN U.S.A. RECIPIENT—RETAIN WHITE COPY, RETURN PINK COPY.


PERATOR CHANGE HORKSHEET		·	1- NOTE L-ADA
tach all documentation received by the derisinitial each listed item when completed. Write	on regarding this change. N/A if item is not applicable.	and the second	2- DES OT 5 3- VLC / 4- RJF
<pre>Change of Operator (well sold) Designation of Operator</pre>	□ Designation of Agen □ Operator Name Chang		5- RWM 7- LORIP
he operator of the well(s) listed be)
O (new operator) (address) P. O. BOX 870171 DALLAS, TX 75287 LYNN OR J.T. DEMPSE phone (214) 418-17 account no. N1090	(ad Y	rator) MASTER PETRO dress) 814 SOUTH 77 GRAND JUNCTI TOM KUCEL phone (303 account no.	ON, CO 81501
ell(s) (attach additional page if needed):			
Name: MPD 9-2B/DKTA API: 43-0 Name: MPD 15-2/CDMTN API: 43-0 Name: M.P.D. 9-2/DK-MR API: 43-0 Name: ESCONDITO #1/DKTA API: 43-0 Name: CHASE GROSSMAN #1/DKTA API: 43-0	019-31281 Entity: 9801 Se 019-31277 Entity: 11003 Se 019-31216 Entity: 9801 Se 019-30561 Entity: 9057 Se 019-15014 Entity: 8174 Se	C 10 Twp21S Rng23E L C 9 Twp21S Rng23E L C 15 Twp21S Rng23E L C 9 Twp21S Rng23E L C 2 Twp21S Rng23E L C 31 Twp19S Rng24E L C 15 Twp21S Rng23E L	_ease Type:_ <u>U-30</u> 95 _ease Type: <u>U-30</u> 95 _ease Type:_ <u>U-30</u> 95 _ease Type:_ <u>ML-277</u> _ease Type:_U-0123
PERATOR CHANGE DOCUMENTATION			
Operator (Attach to this form)	other <u>legal</u> documentation	has been receiv	ed from <u>former</u>
(Attach to this form). (Lef. 8-3	her <u>legal</u> documentation ha 26-41)(Reald 10-7-91)	s been received fr	om <u>new</u> operator
operating any wells in Utah. yes, show company file number:	Is company registered w : <u>۴۱۱50اک</u> .	ith the state? (ye	es//no/ 1f
4. (For Indian and Federal Well (attach Telephone Documentat comments section of this for changes should take place price)	ion Form to this report. m. Management review of). Make note of Federal and India	an well operator
11 Sted above. (10-29-91)	the Oil and Gas Informatio	on System (Wang/IB	M) for each well
£4 6. Cardex file has been updated	for each well listed above	•	
Lot 7. Well file labels have been up	dated for each well listed	above.	
402-8. Changes have been included or for distribution to State Lan	n the monthly "Operator, A ds and the Tax Commission.	Address, and Accou	nt Changes" memo
9. A folder has been set up for placed there for reference du	the Operator Change file, ring routing and processin	and a copy of th g of the original	is page has been documents.
	- OVER -		

ATOR CHANGE WORKSHEET (CONTINUED) Initia ach item when completed. Write N/A if item is not applicable.
ITY REVIEW
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form). (Entity 9801 3/wells "Common tank", and 4500 3/wells "Common tank".)
A2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
D VERIFICATION (Fee wells only)
1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. (Notas of yet. will pursue.) **upon completion of rowling.
2. A copy of this form has been placed in the new and former operators' bond files.
The former operator has requested a release of liability from their bond (yes/no) Today's date
SE INTEREST OHNER NOTIFICATION RESPONSIBILITY ,_ Lift 11-4-91
(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 11-4 19-91, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases.
MING
Two 1. All attachments to this form have been microfilmed. Date:
ING
\mathcal{G}_1 . Copies of all attachments to this form have been filed in each well file.
62. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
MENTS
11028 Btm/Meab "Approved 10-25-91 eff. 8-1-91"
•

1/34-35



Michael O. Leavitt Governor Scott Hirschi Director 355 West North Temple 3 Triad Center, Suite 400 Salt Lake City, Utah 84180-1204 801-538-5508 801-355-0922 (Fax)



CERTIFIED MAIL NO. P 879 605 487

Lynn Dempsey
Saturn Resources Corporation
2021 Westridge
Plano, TX 75075

Dear Mr. Dempsey:

RE: State of Utah Oil, Gas, and Hydrocarbon Lease ML 27798

Upon reviewing action taken by the Board of Oil, Gas, and Mining against Saturn Resources Corporation during their February 22, 1995, board meeting, there are several similar items necessary to bring ML 27798 in compliance with lease terms and agency rules.

A recent field inspection showed the Escondito #1 Well to be shut-in and the Pioneer #1 Well in a state of disrepair. Your immediate attention in bringing these wells back on line or plugging them is requested.

This agency will grant you until May 1, 1995, to bring these wells back on production and to supply bonding or other approved surety in the amount of \$20,000 to cover your operations under this lease. Non-compliance with this request will result in termination of ML 27798 and pursuit of additional action to ensure that funds are necessary for the plugging and reclamation of these wells.

If you have any questions concerning this matter, please contact this office.

Sincerely,

EDWARD W. BONNER

Idmand W Bormer

MINERAL RESOURCES SPECIALIST

EWB/tdw

cc: Division of Oil, Gas, and Mining



Sundry Number: 45410 API Well Number: 43019305610000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: ML-27798		
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7.UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: ESCONDITO 1	
2. NAME OF OPERATOR:			9. API NUMBER: 43019305610000	
3. ADDRESS OF OPERATOR: , , ,	P	HONE NUMBER:	9. FIELD and POOL or WILDCAT: GREATER CISCO	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0403 FNL 2389 FEL		COUNTY: GRAND		
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNE Section: 02 Township: 21.0S Range: 23.0E Meridian: S		STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
5/23/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
DRILLING REPORT Report Date:	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
Report Bate.			OTHER.	
	WILDCAT WELL DETERMINATION	→ OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. 5/18/12 - Mob to location. TOOH w/tbg. RIH w/guage ring to 1230'. Set CIBP @ 1230'. Perf @ 190'. Circulate well clean. Pump 35 sx cement on CIBP. 5/20/12 - Tag plug @ 719'. Circulate 34 sx cement through perfs @ 190' back to surface. Cement fell back. 5/22/12 - Tag cement @ 132'. 5/23/12 - Dump 10 sx on TOC. Cement to surface. Cut off casing, weld on DHM, backfill pit, cover DHM and clean location. Done. Plugged under the State of Utah's Orphan Well Plugging Program. PHONE NUMBER TITLE Dustin Doucet Phone Number TITLE Engineer				
Dustin Doucet	801 538-5281	Engineer		
SIGNATURE N/A		DATE 11/27/2013		